




Fig. 3



200 RECEIVE A TIMER SUBSCRIPTION CONTAINING A TIME VALUE AND AN IDENTITY OF A MODULE TO NOTIFY UPON EXPIRATION OF THE TIME VALUE; 201 RECEIVE SUBSCRIPTION FROM A SUBSCRIBER WITHIN THE MODULE, THE SUBSCRIBER INCLUDING THE TIMER HANDLER. 202 THE MODULE INCLUDES A TIMER HANDLER IN THE SUBSCRIBER, THE TIMER SUBSCRIPTION FURTHER INDICATIVE OF THE TIMER HANDLER, AND/OR 203 RECEIVE A SUBSCRIPTION FROM MULTIPLE SUBSCRIBERS IN THE MODULE, EACH SUBSCRIBER OPERATIVE TO INCLUDE A TIMER HANDLER AND/OR 204 SUBSCRIPTION IS A FIRST SUBSCRIPTION AND INCLUDES A TIMER IDENTITY. AND RECEIVING SECOND SUBSCRIPTION TO THE SAME TIMER AS FIRST SUBSCRIPTION, THE TIMER IDENTIFIED BY A TIMER NAME PROVIDED BY BOTH THE FIRST SUBSCRIPTION AND THE SECOND SUBSCRIPTION. AND/OR 205 RESET THE EXPIRATION TIME VALUE WITH AN EXPIRATION TIME VALUE FROM A SECOND SUBSCRIPTION FOR THE SAME TIMER.










Fig. 8








Fig. 11